

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

NAD+ - 1000

Tested for: PeptiLume



COA #: COA-2026-JIQ8K0
Lot Number: PL-ND1000-S52-G03
Labeled Content: 1000

Analysis Date: 09/02/2026
Appearance: Good
Date Received: 08/27/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: EAQ8N5LF

Method: Blind Test (HPLC), Purity, Identity & Quantitation (HPLC)

Identity
NAD+

Purity
98.74%




Blind Test (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	98.74%	%	PASS
Net Peptide Content	Report Only	1033.12	mg	N/A
Identity (HPLC-RTM)	NAD+	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



NAD+ 1000 - PL-ND1000-S52-G03

HPLC Chromatogram



NAD+ 1000 - PL-ND1000-S52-G03: UV Chromatogram

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	98.74%	%	PASS
Net Peptide Content	Report Only	1033.12	mg	N/A
Identity (HPLC-RTM)	NAD+	Confirmed	-	PASS

Notes & Methodology

- Date Tested: 09/02/2026. Methods: Blind Test (HPLC); Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be NAD+ by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Purity determined by RP-HPLC area normalization at 214 nm.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com



Dr. Greg Kalyuzhny
Lab Director
9/2/2026

COA #: COA-2026-JIQ8K0
Access Code: EAQ8N5LF
Verify: portal.ils-lab.com
Issued: 9/2/2026